To: Linden, melissa[linden.melissa@epa.gov]
Cc: Werner, Lora[Werner.Lora@epa.gov]

From: Kelly, Jack (R3 Phila.)
Sent: Wed 1/22/2014 11:14:50 PM

Subject: Fw: Update on amount of PPH in the MCHM spill

That was quick. Never mind. :)

From: Burns, Francis

Sent: Wednesday, January 22, 2014 6:13:16 PM

**To:** Garvin, Shawn; Hodgkiss, Kathy; Melvin, Karen; Armstrong, Joan; Capacasa, Jon; Wisniewski, Patti-Kay; Arguto, William; binetti, victoria; duteau, helen; Jarvela, Steve; Kelly, Jack (R3 Phila.)

Subject: Re: Update on amount of PPH in the MCHM spill

## Shawn:

I checked with the site team and it is not because of the change to weight. It is a corrected number representing more material. The facility checked their records and found the mistake.

## Fran

From: Garvin, Shawn

**Sent:** Wednesday, January 22, 2014 5:55:52 PM

**To:** Burns, Francis; Hodgkiss, Kathy; Melvin, Karen; Armstrong, Joan; Capacasa, Jon; Wisniewski, Patti-Kay; Arguto, William; binetti, victoria; duteau, helen; Jarvela, Steve; Kelly, Jack (R3 Phila.)

Subject: Re: Update on amount of PPH in the MCHM spill

Quick question - Is the change in percentage due to a shift in caluculating to weight instead of volume? Or at the end of the day is there reaaly more material and not just a different way of calculating? Thx

From: Burns, Francis

Sent: Wednesday, January 22, 2014 3:48:04 PM

**To:** Garvin, Shawn; Hodgkiss, Kathy; Melvin, Karen; Armstrong, Joan; Capacasa, Jon; Wisniewski, Patti-Kay; Arguto, William; binetti, victoria; duteau, helen; Jarvela, Steve; Kelly, Jack (R3 Phila.)

Subject: FW: Update on amount of PPH in the MCHM spill

**FYI** 

From: Linden, melissa

Sent: Wednesday, January 22, 2014 3:40 PM

To: Burns, Francis

Cc: Caporale, Cynthia; Werner, Lora Subject: Update on amount of PPH in the MCHM spill
Hi Fran,
The Freedom Industries President just told Mike Dorsey that there is 7.3% PPH instead of the reported 5.6% given yesterday.
So the contents of tank 396 is 88.5% crude MCHM, 7.3% PPH, and 4.2% water (percent by weight, not volume as previously stated) reported as a requirement of the WV DEP Order issued this morning to the facility.
Thanks,
Melissa